



# Office for Nuclear Regulation (ONR) Quarterly Site Report for Chapelcross

Report for period 1 July – 30 September 2015

## Foreword

This report is issued as part of ONR's commitment to make information about inspection and regulatory activities relating to the above site available to the public. Reports are distributed quarterly to members of the Chapelcross Site Stakeholder Group and are also available on the ONR website (<http://www.onr.org.uk/llc/>).

Site inspectors from ONR usually attend Chapelcross Site Stakeholder Group meetings and will respond to any questions raised there. Any person wishing to enquire about matters covered by this report should contact ONR.

## **1 INSPECTIONS**

### **1.1 Dates of inspection**

The ONR site inspector made inspections on the following dates during the quarter:

- 17–21 August 2015

For the August inspection the ONR site inspector was accompanied by a radiation protection specialist inspector.

## **2 ROUTINE MATTERS**

### **2.1 Inspections**

Inspections are undertaken as part of the process for monitoring compliance with:

- the conditions attached by ONR to the nuclear site licence granted under the Nuclear Installations Act 1965 (NIA65);
- the Energy Act 2013;
- the Health and Safety at Work Act 1974 (HSWA74); and
- regulations made under HSWA74, for example the Ionising Radiations Regulations 1999 (IRR99) and the Management of Health and Safety at Work Regulations 1999 (MHSWR99).

The inspections entail monitoring licensee's actions on the site in relation to incidents, operations, maintenance, projects, modifications, safety case changes and any other matters that may affect safety. The licensee is required to make and implement adequate arrangements under the conditions attached to the licence in order to ensure legal compliance. Inspections seek to judge both the adequacy of these arrangements and their implementation.

In this period, routine inspections of Chapelcross covered the following:

- Emergency arrangements
- Accumulation of radioactive waste
- Ionising Radiations Regulations 1999

ONR site inspector together with the ONR radiation protection specialist judged the arrangements for Accumulation of radioactive waste and Ionising Radiations Regulations 1999 to be adequate. The ONR inspectors considered emergency arrangements to be below standard with regard to the maintenance of the beyond design basis cabinet and site has provided commitments to improve the maintenance regime and this will be considered as part of future inspections.

As part of the August visit, ONR conducted the annual review of safety and considered the overall position of the site to be adequate, with the ONR noting the professionalism and competency of the individuals engaged with during the review.

## **3 NON-ROUTINE MATTERS**

Licensees are required to have arrangements to respond to non-routine matters and events. ONR inspectors judge the adequacy of the licensee's response, including actions taken to implement any necessary improvements.

There were no such matters or events of significance during the period.

#### **4 REGULATORY ACTIVITY**

ONR may issue formal documents to ensure compliance with regulatory requirements. Under nuclear site licence conditions, ONR issues regulatory documents, which either permit an activity or require some form of action to be taken; these are usually collectively termed 'Licence Instruments' (LIs), but can take other forms. In addition, inspectors may issue Enforcement Notices to secure improvements to safety.

No LIs or Enforcement Notices were issued during the period.

#### **5 NEWS FROM ONR**

##### **5.1 Retirement of the Chief Nuclear Inspector**

Dr Andy Hall, the first Chief Nuclear Inspector to hold this statutory office, announced his decision to retire from ONR in November 2015 and until his retirement he is taking a period of compassionate leave for personal reasons. The ONR Board, with the approval of the Secretary of State, has appointed Dr Richard Savage as Acting Chief Nuclear Inspector, pending a process to fill the role on a permanent basis. Richard was previously Head of the Defence Nuclear Safety Regulator before joining ONR in his current role as a Deputy Chief Nuclear Inspector.

##### **5.2 Regulation Matters magazine**

Insight into ONR's work as an independent regulator of the nuclear industry can be found in Regulation Matters. This quarterly online publication (<http://www.onr.org.uk/regulation-matters.htm>) reports on the key themes and developments in each of ONR's regulatory programmes and provides an update about the ongoing changes at ONR. For the latest news and updates from ONR, you can also visit the website and sign up for our e-bulletin: <http://www.onr.org.uk/index.htm>

.

## CONTACTS

Office for Nuclear Regulation  
Redgrave Court  
Merton Road  
Bootle  
Merseyside  
L20 7HS

website: [www.onr.org.uk](http://www.onr.org.uk)

email: [ONREnquiries@onr.gsi.gov.uk](mailto:ONREnquiries@onr.gsi.gov.uk)

This document is issued by the Office for Nuclear Regulation (ONR). For further information about ONR, or to report inconsistencies or inaccuracies in this publication, please visit <http://www.onr.org.uk/feedback.htm>.

© Office for Nuclear Regulation, 2015

If you wish to use this information visit [www.onr.org.uk/copyright](http://www.onr.org.uk/copyright) for details.

Published April 2015

*For published documents, the electronic copy on the ONR website remains the most current publicly available version and copying or printing renders this document uncontrolled.*