

# **Office for Nuclear Regulation (ONR)**

## **Site Report for**

### **Cyclife UK Limited**

### **Metals Recycling Facility, Lillyhall**

**Report for period 1 October 2021 – 31 March 2022**

#### **Foreword**

This report is issued as part of ONR's commitment to make information about inspection and regulatory activities relating to the above site available to the public. Reports are distributed to members for the Cyclife UK Limited Local Liaison Panel and are also available on the ONR website (<http://www.onr.org.uk/llic/>).

Cyclife UK Limited does not convene regular Site Stakeholder Group meetings. When meetings are convened, the ONR Site Inspector will usually attend and will respond to any questions raised there. Any person wishing to inquire about matters covered by this report should contact ONR.

## Table of Contents

1. Inspections .....	3
2. Routine Matters .....	4
3. Non-Routine Matters.....	6
4. Regulatory Activity .....	7
5. News from ONR.....	8
6. Contacts .....	8

# 1. Inspections

## 1.1. Dates of Inspection

The ONR site inspector made inspections on the following dates during the report period 1 October 2021 to 31 March 2022:

- 8 December 2021
- 10 February 2022

## 2. Routine Matters

### 2.1. Inspections

Inspections are undertaken as part of the process for monitoring compliance with:

- the conditions attached by ONR to the nuclear site licence granted under the Nuclear Installations Act 1965 (NIA65) (as amended);
- the Energy Act 2013
- the Health and Safety at Work Act 1974 (HSWA74); and
- regulations made under HSWA74, for example the Ionising Radiations Regulations 2017 (IRR17) and the Management of Health and Safety at Work Regulations 1999 (MHSWR99).

The inspections entail monitoring the licensee's actions on the site in relation to incidents, operations, maintenance, projects, modifications, safety case changes and any other matters that may affect safety. The licensee is required to make and implement adequate arrangements under the conditions attached to the licence in order to ensure legal compliance. Inspections seek to judge both the adequacy of these arrangements and their implementation.

In this period, routine inspections of Cyclife Ltd Metals Recycling Facility covered the following:

- examination, maintenance, inspection and testing;
- quality assurance and records;
- conventional (non-nuclear) health and safety;

In general, ONR judged the arrangements made and implemented by the site in response to safety requirements to be satisfactory in the areas inspected. Where improvements have been identified, the licensee has made a commitment to address those issues, and ONR inspectors will closely monitor progress during future site inspections.

Members of the public, who would like further information on ONR's inspection activities during the reporting period, can view site Intervention Reports at [www.onr.org.uk/intervention-records](http://www.onr.org.uk/intervention-records) on our website [www.onr.org.uk](http://www.onr.org.uk). Should you have any queries regarding our inspection activities, please email [contact@onr.gov.uk](mailto:contact@onr.gov.uk).

## 2.2. Other Work

The site inspector held a periodic meeting with safety representatives, to support their function of representing employees and receiving information on matters affecting their health, safety and welfare at work. No areas of concern were identified.

Routine meetings are held with Cyclife Ltd senior managers to review ongoing site activities and key safety performance indicators.

### 3. Non-Routine Matters

Licensees are required to have arrangements to respond to non-routine matters and events. ONR inspectors judge the adequacy of the licensee's response, including actions taken to implement any necessary improvements.

There were no such matters or events of significance during the period.

## 4. Regulatory Activity

ONR may issue formal documents to ensure compliance with regulatory requirements. Under nuclear site licence conditions, ONR issues regulatory documents, which either permit an activity or require some form of action to be taken; these are usually collectively termed 'Licence Instruments' (LIs) but can take other forms. In addition, inspectors may take a range of enforcement actions, to include issuing an Enforcement Notice.

- No LIs, Enforcement Notices or Enforcement letters were issued during this period.

Reports detailing the above regulatory decisions can be found on the ONR website at <http://www.onr.org.uk/pars/>.

## 5. News from ONR

For the latest news and information from the Office for Nuclear Regulation, please read and subscribe to our regular email newsletter 'ONR News' at [www.onr.org.uk/onrnews](http://www.onr.org.uk/onrnews)

## 6. Contacts

Office for Nuclear Regulation  
Redgrave Court  
Merton Road  
Bootle  
Merseyside  
L20 7HS

website: [www.onr.org.uk](http://www.onr.org.uk)  
email: [Contact@onr.gov.uk](mailto:Contact@onr.gov.uk)

This document is issued by the Office for Nuclear Regulation (ONR). For further information about ONR, or to report inconsistencies or inaccuracies in this publication please visit <http://www.onr.org.uk/feedback.htm>.

© Office for Nuclear Regulation, 2022

If you wish to reuse this information visit [www.onr.org.uk/copyright.htm](http://www.onr.org.uk/copyright.htm) for details.  
Published 04/22.

For published documents, the electronic copy on the ONR website remains the most current publicly available version and copying or printing renders this document uncontrolled.